


# Pr Enstilar®

calcipotriol / betamethasone dipropionate

## When Using Enstilar® on the Scalp

### Application

Spray Enstilar® into your palm and then gently apply to affected areas using your fingers



### Removal

Apply shampoo to **dry hair**, massage into the dry hair and scalp, and rinse thoroughly



Enstilar® should not be used on the face, axillae, flexures, groin or genitals. Enstilar® must be used correctly to avoid accidental transfer or application to these regions or to the mouth, mucous membranes, or eyes. Use of Enstilar® may cause red and swollen hair follicles and changes in hair growth. Talk to your healthcare professional if you experience troublesome symptoms or side effects.

**Do not shower or bathe immediately after applying.**  
**If you accidentally get foam on your face, wipe it off right away.**

Instructions continued on reverse

# How to Use Enstilar®

- 1** Shake before use
  - Make sure you're in a well-ventilated area
- 2** Hold the can at least 3 cm from your skin
  - Only use on affected areas
- 3** Spray only on affected areas and rub gently into skin
  - Hold can in any orientation except horizontally when spraying
  - See scalp-specific instructions on reverse
- 4** Leave treated areas uncovered until fully absorbed
  - Replace the cap to prevent accidental spraying
  - Wash hands after (unless treating hands) and avoid spreading to other parts of the body

ENS-116-20E

© 2020 LEO Pharma Inc. All rights reserved.

© Registered trademark of LEO Pharma A/S used under license and distributed by LEO Pharma Inc.



Pr **Enstilar®**  
calcipotriol / betamethasone dipropionate